

**RICECO STAM 80 EDF****Date Prepared: October 24,2011****1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

## PRODUCT IDENTIFICATION:

Product Name: RICECO STAM 80 EDF, STAM 80 EDF-CA  
Chemical Name: 3,4-dichloropropionanilide  
EPA Reg. No.: 71085-38

## HAZARD CLASSIFICATION (0-minimal, 1-slight, 2-moderate, 3-serious, 4-severe)

NFPA: HEALTH - 1 FIRE - 0 REACTIVITY - 0  
HMIS: HEALTH - 1 FIRE - 0 REACTIVITY - 0

## MANUFACTURER

Company Name: RiceCo L.L.C.  
Address: 5100 Poplar Avenue, Suite 2428  
Memphis, Tennessee 38137 USA

## EMERGENCY TELEPHONE NUMBER(S):

RiceCo L.L.C. (888) 835-1313  
Global Logistics: (504) 439-3140 or (727) 374-5705

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

Component Name	% by Wt.	CAS Number	TWA/STEL	ACGIH(TLV)/OSHA (PEL)
3,4-dichloropropionanilide	80.0	709-98-8	5mg/m <sup>3</sup>	Not established

**3. HAZARDS IDENTIFICATION**

## EMERGENCY OVERVIEW

Primary routes of exposure are: Inhalation, ingestion, skin contact and eye contact

## POTENTIAL HEALTH EFFECTS

Inhalation: Vapor can irritate the nose and throat and cause drowsiness, slurred speech, headache, nausea, dizziness, stupor and unconsciousness.  
Eye Irritation: May cause irritation.  
Skin Irritation: May be irritating to skin upon repeated or prolonged exposure.  
Skin Absorption: Slightly toxic if absorbed through the skin.  
Ingestion: May cause stupor, dizziness, fever, drowsiness, and blue lips and fingernails.

**4. FIRST AID MEASURES**

Inhalation: Move person to fresh air. If not breathing, call 911 or an ambulance, then administer artificial respiration preferably mouth-to-mouth. Call a poison control center or doctor for further treatment advice.  
Eye Contact: Hold eyelids open and flush with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.  
Skin Contact: Remove contaminated clothing including shoes. Wash with plenty of soap and water for 15 – 20 minutes until no evidence of chemical remains. Launder

**RICECO STAM 80 EDF****Date Prepared: October 24,2011**

Ingestion: contaminated clothing separately. Get medical attention if irritation persists. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

---

**5. FIRE FIGHTING MEASURES**

Flash Point: No flash point. Water based.  
Flammable Limits: LEL: Not applicable UEL: Not applicable  
Autoignition Temperature (°F): Not applicable

**FIRE FIGHTING HAZARDS AND PROCEDURES**

General Hazard: Prevent human exposure to fire, smoke, fumes or products of combustion. Stay upwind and keep safe distance from the fire.

Unusual Fire, Explosion  
And Reactivity Hazards: Combustion produces noxious fumes, hydrogen chloride, chlorine, organic acids and chloroanilines. Pesticide particulates may become airborne. Closed containers may rupture via pressure build-up when exposed to fire or extreme heat.

Extinguishing Media: Use dry chemical, carbon dioxide, water spray, water fog or chemical foam. Runoff should be contained.

Fire Fighting Equipment: Wear full protective clothing and self-contained breathing apparatus (pressure demand MSHA/NIOSH approved or equivalent). Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area and equipment until decontaminated. Runoff should be contained.

Special Procedures: Move containers promptly out of fire zone. If removal is impossible, cool containers with water spray. Do not use a solid stream of water. A solid stream of water can spread fire. Remain upwind. Avoid breathing noxious fumes from fire-exposed material. Runoff should be contained.

---

**6. ACCIDENTAL RELEASE MEASURES**

Spill or Leak: Eliminate all ignition sources. Ventilate the spill area. Comply with fire, explosion, safety precaution, personal protective equipment sections of this MSDS before proceeding with cleanup. Absorb material with inert material such as 'oil dry' and transfer to suitable container. Keep spills and cleaning runoff out of municipal sewers and open bodies of water. Contact RiceCo or Global Logistics (504) 439-3140 or (727) 374-5705 if assistance is needed. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424-8802, refer to SARA Title III, Section 313 40 CFR 372, and CERCLA 40 CFR 302 for complete regulations concerning reporting requirements.

---

**7. HANDLING AND STORAGE**

Storage Conditions: Keep containers tightly closed when not in use. Avoid temperature extremes, ambient temperature preferred. Do not store or consume food, drink or tobacco in areas where they may become contaminated by this material. Store in a well ventilated area away from excessive heat (e.g. steampipes, radiators),

---

**RICECO STAM 80 EDF**

**Date Prepared: October 24,2011**

from sources of ignition, and from reactive materials. Store out of direct sunlight in a cool place. Store in a dry area. Store in a secure area away from children.

Handling Procedures: Do not handle material near food, feed, tobacco or drinking water. Wash after handling and shower thoroughly at end of work period.

Other: Improper disposal or re-use of product container may be dangerous and illegal. Refer to local, state, tribal and federal regulations regarding safe handling and disposal of chemical and chemical containers. Dispose of empty containers in a sanitary landfill or by incineration as allowed by state, local, tribal and federal authorities. Avoid inhalation of smoke, if incinerated.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**PESTICIDE APPLICATORS & WORKERS**

These workers must refer to the Product Label and Directions for Use attached to the product for Agriculture Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170.

**MANUFACTURING, COMMERCIAL BLENDING and REPACKAGING WORKERS**

Ventilation: Provide local exhaust ventilation and/or general dilution ventilation to control mist or vapor concentration and to meet published exposure limits.

Respiratory Protection: Up to 10 times the exposure limit: Wear a MSHA/NIOSH approved half-mask, air purifying respirator or equivalent.  
 Up to 100 times the exposure limit: Wear a MSHA/NIOSH approved full-face piece, air purifying respirator or equivalent.  
 Above 100 times the exposure limit: Wear a MSHA/NIOSH approved self-contained breathing apparatus in the positive pressure mode or MSHA/NIOSH approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.  
 Air purifying respirators should be equipped with pesticide cartridges (organic vapor cartridge and pesticide pre-filter).

Eye Protection: Use chemical splash goggles (ANSI Z87.1 or approved equivalent).

Hand Protection: Butyl rubber and nitrile gloves may provide protection against permeation. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands thoroughly with soap and water.

Other Protection: Wear long-sleeved shirt, long pants, shoes, socks and chemical resistant apron or other impervious clothing to avoid prolonged or repeated exposure to skin.

Engineering Controls (Ventilation): Use explosion proof local exhaust with a minimum capture velocity of 150 ft/min (0.75 m/sec) at the point of vapor or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use and maintenance of exhaust systems.

Other Protection Equipment: Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Vapor Pressure: 4 x 10<sup>-5</sup> mm/Hg @ 25°C (active ingredient)  
 Vapor Density: Not applicable

**RICECO STAM 80 EDF****Date Prepared: October 24,2011**

Bulk Density:	Not available
Solubility in Water:	Dispersible in water
Solubility in Alcohol:	60 g/100 mL
pH:	9 aqueous solution
Boiling Point:	Not applicable
Melting Point:	85°C/185°F (Estimate)
Odor:	Odorless
Color:	Tan
Physical State:	Solid Granules

**10. STABILITY AND REACTIVITY**

General:	This material is considered to be stable; however, contact with ignition sources such as sparks, open flame and heated surfaces are to be avoided.
Hazardous Decomposition:	Thermal decomposition may yield noxious fumes such as hydrogen chloride, organic acids and chloroanilines.
Hazardous Polymerization:	This material will not undergo polymerization.
Incompatibility:	Avoid strong acids, strong alkalis and oxidizers.

**11. TOXICOLOGICAL INFORMATION**

Toxicological data available for this material:

**ACUTE**

Inhalation:	Oral LC <sub>50</sub> rat: 6.0 mg/L (for similar material)
Eye Irritation:	Rabbit – Moderate irritant to eyes
Skin Irritation:	Rabbit – Slight irritation
Oral LD <sub>50</sub>	Rat - >3000 mg/kg (for similar material)
Dermal LD <sub>50</sub>	Rat - >2000 mg/kg (for similar material)

**12. ECOLOGICAL INFORMATION**

The data listed below are from studies conducted on the technical material, 96 – 98% active ingredient.

Environmental Toxicity:

Bluegill sunfish ( <i>Lepomis macrochirus</i> ) LC <sub>50</sub> - 96 hr.	5.4 mg/l
Rainbow Trout ( <i>Salmo gairdneri</i> ) LC <sub>50</sub> – 96 hr.	2.3 mg/l
Quail, Oral LD <sub>50</sub>	196 mg/kg
Quail, 8-day Dietary LC <sub>50</sub>	2861 ppm
Mallard duck, 8-day Dietary LC <sub>50</sub>	5627 ppm
Daphnia magna, 48 hr. EC <sub>50</sub>	0.14 mg/l
Estuarine and marine organism, 48-96 hr. EC <sub>50</sub>	0.4 – 5.8 mg/l
This product is toxic to fish	

**13. DISPOSAL CONSIDERATIONS**

For disposal, incinerate this material at a facility that complies with local, state, tribal and federal regulations. The above recommendation covers disposal of material only as supplied. Refer to package labeling for more information.

**RICECO STAM 80 EDF****Date Prepared: October 24,2011****14. TRANSPORT INFORMATION:**

Department of Transportation (DOT):	Not Regulated
International Air Transport Association (IATA):	UN3077, Environmentally hazardous substance, solid, n.o.s. (Propanil) , Hazard class 9, Packing Code PGIII, ERG Code 9L
International Maritime Organization (IMO):	UN3077, Environmentally hazardous substances, solid, n.o.s. (Propanil), Hazard Class 9, Packing Group PG III, EmS no. F-A,S-F, Special Provisions 274, 909, 944, Marine Pollutant Yes

The DOT classification is for use when shipping in non-bulk packaging for domestic surface transportation only. Exceptions in CFR 49 Parts 171-177 may apply. Consult CFR 49 Parts 171-177 to determine appropriate classification when shipping in bulk packages or when shipping by ocean or air.

**15. REGULATORY INFORMATION**

<b>OSHA:</b>	This product is considered hazardous under OSHA Hazard Communication Standard (29CFR 1910.1200)
<b>TSCA:</b>	This product is subject to regulation under the US Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) and is therefore exempt from U.S. Toxic Substances Control Act (TSCA) Inventory listing requirements.
<b>CERCLA:</b>	Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) to the state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.
<b>RCRA:</b>	When a decision is made to discard this material as supplied, it does not meet RCRA's characteristic definition of ignitability, reactivity, or corrosivity and is not listed in 40 CFR 261.33. The toxicity characteristic (TC), however, has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).
<b>SARA TITLE III: 311/312 Hazard Categories:</b>	This product has been reviewed according to the EPA "Hazard Categories" relating to SARA Title III, and is categorized as a delayed health hazard (40 CFR 370.41).
<b>313 Reportable Ingredients:</b>	This product does not contain a material at or above de minimis concentrations, which is listed in Section 313 of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR Part 372.

**16. OTHER INFORMATION****REVISION SUMMARY**

This Material Safety Data Sheet (MSDS) has been revised using the standard ANSI Z400.1 compliant format and replaces the one dated \_\_\_\_\_.

***THE INFORMATION CONTAINED IN THIS MSDS RELATES TO THIS SPECIFIC PRODUCT. IT MAY NOT BE VALID FOR THIS PRODUCT IF USED IN COMBINATION WITH ANY OTHER PRODUCTS OR IN ANY PROCESS. IT IS THE USERS' RESPONSIBILITY TO SATISFY THEMSELVES AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR THEIR OWN PARTICULAR USE.***

